





Information for Candidates

2011

Contents

mjdf

	Page
Preface	
Where does the MJDF assessment fit into a modern dental career?	1
Introduction	3
How to use this document	3
A Curriculum for UK Dental Foundation Programme Training	3
The format of the MJDF summarised	3
Portfolio of Evidence Part 1 examination Part 2 examination	3 4 4
Training, education and preparation for MJDF	4
 Vocational training and foundation training Tutor networks Centrally organised study days Study resources Non UK-based candidates 	4 5 5 5 6
Guidance on the content of parts of the assessment	6
Portfolio of Evidence - Core clinical and professional skills - Evidence of clinical management - How is the portfolio assessed?	6 7 7 8
Part 1 examination - Specimen MCQ questions - Specimen EMQ questions	8 8 9
Part 2 examination The OSCE component Specimen OSCE questions Sample mark sheet 	10 10 10 12

DIPLOMA OF MEMBERSHIP OF THE JOINT DENTAL FACULTIES at The Royal College of Surgeons of England	mjdf
 The SCR component SCR format Specimen SCR questions Sample mark sheet 	13 13 19
Exemptions from Part 1 of the MJDF	20
Examination and submission dates for MJDF	20
Applications process	20
Fees payable	21
Membership of the dental faculties	21
Policies applicable to the MJDF	21
Annex A	
Frequently asked questions	22

Annex B

MJDF resource list	24
--------------------	----



Preface

Where does the MJDF assessment fit into a modern dental career?

Modernising Medical Careers (MMC) has changed the way postgraduate medical training has been delivered. This change was driven by the need for more flexible training pathways to meet service and personal development requirements. One of the key elements in MMC is the foundation programme, which consists of an integrated two-year course of general professional training following initial medical qualification. The aim is to achieve a set of predefined and published competencies and outcomes within a two-year timeframe, and to prepare recent medical graduates for future careers in either general or specialist practice.

Within dentistry, the General Dental Council and the Department of Health have sought to develop 'modernising dental careers' along the lines of the medical model. *A Curriculum for UK Dental Foundation Programme Training* (Commissioned by the Department of Health) defines the competences, curriculum, educational content, training requirements, and expected outcomes for all dental graduates who complete dental foundation training.

The two dental faculties at The Royal College of Surgeons of England support a two year dental foundation programme and although not mandatory at the present time, it is our view of that it will become mandatory in the near future. It is expected that dental graduates will be required to undergo a formal assessment and validation of satisfactory completion of foundation training.

The FDS and FGDP(UK) have sought to provide a modern, educationally sound assessment in the Diploma of Membership of the Joint Dental Faculties (MJDF RCS Eng). The MJDF may be a desirable requirement for entry into postgraduate training programmes generally, including specialist training, and will be the starting point for the FGDP(UK)'s Career Pathway for general dental practitioners.

The aim of the MJDF examination is to assess knowledge, application of knowledge and candidates' understanding of the structures and processes required to provide quality-assured dental healthcare after completion of a two-year foundation programme for all dental graduates, whether they are pursuing a career in general or specialist practice, in either primary or secondary care.

The faculties aim is to provide a modern assessment that makes a significant step towards workplace-based evaluation of knowledge, application of knowledge, and competencies, in line with the principles of the Postgraduate Medical Education and Training Board.



This qualification provides a marker of competency which would be useful to future employers and stakeholders, e.g. Primary Care Trusts and Deanery Foundation Training Programmes.

In addition, preparing for this examination will develop generic skills that will be useful in both primary and secondary career pathways, e.g. demonstrating an understanding and compliance with clinical governance that would be useful when bidding for an NHS contract from a Primary Care Trust.

The two dental faculties believe that the MJDF provides a modern, fit-forpurpose, innovative assessment for today's young dentist. Incorporated into the assessment is the requirement of completion of a workplace-based portfolio of evidence which we believe will provide evidence for future GDC revalidation. It also removes the reliance on traditional tests of knowledge and, together with the objective structured clinical examination (OSCE) elements, allows for triangulation of methods to assess the areas set out in the foundation training curriculum. Furthermore, the faculties believe that the evaluation of workplace-based experience, now embedded in primary and secondary care foundation training, and decreased reliance on traditional examination methods will have greater meaning for dental graduates.



Introduction

1. *Information for Candidates* contains background information and guidance for candidates preparing for the MJDF and highlights further sources of help. In Annex A of this document, there is a list of frequently asked questions.

How to use this document

2. *Information for Candidates* should be read alongside the *MJDF Regulations*, available to view on the MJDF website (<u>www.mjdf.org.uk</u>).

3. This document contains important guidance which is supplementary to the *MJDF Regulations* on areas such as the preparation and submission of the Portfolio of Evidence. **Any candidate preparing for the MJDF assessment should therefore read both the** *MJDF Regulations* **and this document in full.**

A Curriculum for UK Dental Foundation Programme Training

4. The publication *A Curriculum for UK Dental Foundation Programme Training* (the 'foundation training curriculum') is the basis for the MJDF assessment. The foundation training curriculum can be downloaded from the MJDF web pages at <u>www.fgdp.org.uk/pdf/gpt_curric.pdf</u>.

5. The preface to *Information to candidates* describes the development of the foundation training curriculum and places the MJDF in this context.

The format of the MJDF summarised

6. This section provides a summary of the three components of the MJDF. Further information, including specimen questions, can be found within the section *Guidance on the content of parts of the assessment* starting on page 8.

Portfolio of Evidence

7. This will assess aspects of knowledge and application of knowledge, and provide workplace-based assessment of competencies across the

foundation training curriculum. Completion will be a requirement for the award of the qualification.

mjdf

8. The Portfolio of Evidence consists of five parts:

a. A portfolio providing evidence of core clinical and professional skills.

- b. Evidence of clinical management.
- c. A curriculum vitae.

d. A record of continuing professional development activity and a personal development plan.

Part 1 examination

9. The Part 1 examination will consist of one paper, based on the foundation training curriculum, assessing knowledge and applied knowledge. This will include different formats of multiple choice questions.

Part 2 examination

10. The Part 2 examination will consist of objective structured clinical examination (OSCE) and structured clinical reasoning (SCR) formats of assessment.

11. The format will assess clinical skills and competencies, and structured clinical reasoning.

Final award of the examination

12. Candidates are reminded that once *any* element of the examination has been completed all other components must be completed within a 5 year time frame.

Training, education and preparation for MJDF

Vocational training and foundation training

13. The foundation training curriculum sets out the competencies (that is, the knowledge, skills and attributes) that dentists should acquire following two years' postgraduate experience.

14. As explained in the preface to this document, the assessment anticipates the development of foundation training schemes that will provide two years' postgraduate training for dental graduates.

mjdf

15. At present, such schemes are not universal, although some foundation (general professional training) schemes have developed on a local basis.

16. For the current graduate, the experience is likely to be in the form of participation in a one-year vocational training scheme, and possibly a separate hospital Senior House Officer post. The training and workplace-based experience in this period is therefore likely to be the basis for the young dentist's preparation for this assessment.

17. It should be stressed that the MJDF assessment is open to, and will have value for, all dentists wishing to obtain a first-level postgraduate diploma, and is not restricted to recent graduates.

Tutor networks

18. There is a network of tutors to assist those preparing for the MJDF assessment. Further details are available on the MJDF website (www.mjdf.org.uk).

Centrally organised study days

19. Central study days are being organised at The Royal College of Surgeons of England in London to assist candidates with preparation for the MJDF. Please visit the website for further dates as they become available.

For application details please see <u>www.mjdf.org.uk</u>.

Study resources

20. A list of study materials available to support study for MJDF is provided in Annex B of this document.

21. Candidates should use this selectively for directed learning. It is not a list of all resources available, and candidates should in particular be reminded of their personal responsibility to ensure that their knowledge is up to date, and that they are aware of contemporary developments and issues in dental treatment.



Non UK-based candidates

22. Candidates **must** submit their Portfolio to the MJDF Examinations Office for assessment.

23. Any further details on running the MJDF overseas will appear on the MJDF web site on the examination and submission dates section as they become available.

24. Candidates who do wish to study for the MJDF diets in the UK should ensure that they can access sufficient study support to satisfy the requirements of the foundation training curriculum.

Guidance on the content of parts of the assessment

Portfolio of Evidence

25. This will assess aspects of knowledge and application of knowledge, and provide workplace-based assessment of competencies across the foundation training curriculum. Completion will be a requirement for the award of the qualification.

26. The Portfolio consists of five parts:

a. Evidence of five core clinical and professional skills drawn from the candidate's foundation training environment.

b. Evidence of clinical management through both:

i. Presentation of an audit or research project, and

ii. Presentation of a clinical case, or a case based clinical presentation or study, or a record of assessment of work based competencies (as part of a two year FT training programme).

c. A curriculum vitae.

d. A record of continuing professional development activity and a personal development plan.

27. In preparing their Portfolio, candidates should refer to the *MJDF Portfolio Guide* available on the MJDF web pages at <u>www.mjdf.org.uk</u>. Candidates may also find helpful the *Key Skills in Primary Dental Care* elearning package (for information, see (<u>www.fgdp.org.uk/key_skills</u>). However, the following additional information must be noted alongside that guidance. DIPLOMA OF **MEMBERSHIP** OF THE **JOINT DENTAL FACULTIES**

28. For U.K. based candidates the portfolios will be locally assessed by mentors or tutors - see the *Guide to the Local Assessment of the MJDF RCS Eng Portfolio of Evidence* available on the MJDF web pages at www.mjdf.org.uk. A proportion of assessed portfolios will be required to be submitted centrally for quality assurance and probity assurance purposes. The award of the qualification will be withheld until the portfolio is submitted.

mjdf

Core clinical and professional skills

29. Whereas the MFGDP(UK) Coursework Module required completion of seven key skills, the requirement for MJDF is five core skills.

30. The core skills for MJDF are as follows. The first three equate to the General Dental Council's core areas for continuing professional development and are mandatory for all candidates. Candidates may then select a further two.

Mandatory areas are:

- Infection control
- Medical emergencies
- Dental radiography and radiation protection.

Two further key skills can be selected from:

- Health and safety in clinical practice
- Record keeping
- Dental teamwork
- Prevention and dental public health
- Law and ethics, to include:
 - Consent
 - Negligence
 - Child protection.

Evidence of clinical management

31. A requirement of this part of the portfolio is the completion of an audit or research project, and evidence of clinical skills. See the *Guide to the MJDF Portfolio of Evidence* available on the MJDF web pages at <u>www.mjdf.org.uk</u>



How is the portfolio assessed?

32. The portfolio is locally assessed. See the *Guide to the Local Assessment of the MJDF RCS Eng Portfolio of Evidence* available on the MJDF web pages at <u>www.mjdf.org.uk</u>.

Part 1 examination

33. The Part 1 examination will consist of one paper, based on the foundation training curriculum, assessing knowledge and applied knowledge. This will include different formats of multiple choice questions (MCQ) in single best answer (SBA) and extended matching question (EMQ) form. The paper will be up to three hours in duration.

Specimen MCQ questions – (SBA form)

Example 1

A 46-year-old male smoker presents as a new patient complaining of bleeding gums, bad breath and a BPE score as follows:

3	1	3
1	4	3

Select the most appropriate initial radiographic examination.

A. Bitewings

- B. Bitewings and periapical views of selected teeth
- C. Full mouth periapicals
- D. Periapicals of the lower incisors
- E. Vertical bitewings

Example 2

Which one of the following is most commonly used to bleach vital teeth:

- A. Ethyl chloride
- B. Hydrogen chloride
- C. Hydrogen peroxide
- D. Sodium bicarbonate
- E. Sodium hypochlorite

Specimen EMQ questions

Example 1

- A. 1 month
- B. 3 months
- C. 6 months
- D. 12 months
- E. 24 months
- F. 36 months

Choose from the options above the period of time which should elapse before the next radiographic review in the scenarios below. Each option may be used once, more than once, or not at all.

mjdf

- 1. A 13-year-old patient designated as having a high caries risk.
- 2. A 15-year-old patient considered to be at moderate risk of future caries.
- 3. A 32-year-old patient still considered as at high risk of future caries.
- 4. A 9-year-old patient at low caries risk.
- 5. A 25-year-old patient at moderate risk of future caries.
- 6. A 38-year-old patient who has had a full coverage crown placed.
- 7. A 27-year-old patient who has had orthograde endodontic treatment to UL6.
- 8. A 7-year-old who has had a vital pulpotomy following trauma to UL1.

Example 2

- A. Clubbing
- B. Erythematous palms
- C. Evidence of widespread scratching
- D. Flattened nails (koilonychias)
- E. Keratotic striations
- F. Pitted nails
- G. Purpura
- H. 'Target' lesions.

For each of the following clinical scenarios identify the most appropriate skin/nail condtion from those provided. Each option may be used once, more than once, or not at all

- 1. A 45 year old woman with known liver disease.
- 2. A 56-year-old psoriasis sufferer.
- 3. A woman with a hypochromic microcytic anaemia.
- 4. A heavy smoker with haemoptysis.
- 5. A patient with a history of gallstones presenting with dark urine and jaundice.



Part 2 examination

- 34. Part 2 will be in the form of an objective structured clinical examination (OSCE) and structured clinical reasoning (SCR) exercise.
- 35. Candidates will undertake the OSCE component and the SCR component in two separate examination circuits held on the same day. The OSCE component will take about two hours. The SCR component will also take two hours (one hour preparation time and one hour testing).

The OSCE component

36. The OSCE component of Part 2 is designed to assess the candidate's skills, competencies, and practical application of knowledge of various clinical situations.

37. The OSCE component will consist of a circuit of up to 20 stations and each station will last approximately 5 minutes.

At each station, the candidate will be required to undertake either a practical or a paper-based task. These tasks are linked to a competency within one or more of the four major domains of the GPT curriculum. There may be some preparation stations to give the candidate time to prepare 'an answer' for the next station.


A typical OSCE station consists of a clinical vignette and instructions for the candidate to complete the task.

Specimen OSCE Station 1

A patient of yours Mr Smith, has attended the practice today, with a carious lower third molar tooth. It is asymptomatic at present but needs to be surgically removed. Mr Smith is fit and well, and not taking any medication from his doctor.

A radiograph of the area is provided. You do not have to examine the patient. You are required to obtain valid informed consent from Mr Smith so the procedure can be carried out later.

An examiner will observe you and award marks on your competency. The examiner will not interact with you while you are undertaking your task.





Specimen OSCE Station 2

You have been provided with photographs and mounted study models of your patient, Mrs Jones, aged 67. She has agreed to have a new chrome-cobalt partial denture to replace her existing one, which she has had for over 15 years. It is comfortable but as one of the clasps broke recently she has decided to have a new one, similar to her existing one.

You are required to write a prescription to your laboratory for the new partial denture.



Sample Mark Sheet for Specimen OSCE Station 1

MJDF OSCE EXAMINATION -

STATION:

CANDIDATE NUMBER:

Examiner's mark Sheet - Please mark the appropriate score

	Above standard	Meets standard	Below standard	Mark
Communication skills				
Candidate introduces him/herself in an appropriate manner	N/a	Name & appropriate greeting	No greeting	
Checks patient ID	N/a	Checked	Not checked	
Invites questions and encourages discourse	Very open and encouraging	Less open and encouraging	Does not invite questions	
Uses appropriate language	Avoids jargon	Some jargon	Much jargon	
Knowledge imparted				
Discuss complications / serious or frequently occurring risks & benefits	Clear and concise	Vague	Very little info given	
Discusses what would happen with no treatment	Clear and concise	Vague	Doesn't discuss	
Simulated Patient's mark				
Do you feel that you understood the explanation / information given	Entirely	Partially	Not understood	
Did the candidate establish a good rapport with you?	Good	Fair	No rapport	
Do you feel you have enough information to go ahead and give consent	Entirely	Partially	No not enough information	

Please indicate below in the appropriate box global rating for the Candidate (please <u>do</u> <u>not add</u> the global rating score to the 'total' in the box to the right)

Clear Pass	Borderline Pass	Borderline Fail	Fail
4	3	2	1

Total Mark



The SCR component

38. Structured clinical reasoning (SCR) is an assessment of the candidate's ability to communicate with peers, reason, evaluate, form opinions, and apply knowledge obtained through undergraduate and postgraduate experience to current dental practice. It is not primarily an assessment of recall or knowledge, although these elements are required to undertake SCR.

39. Scenarios will be drawn from real clinical situations, and will test and integrate major competencies and supporting competencies across all parts of the foundation training curriculum.

40. Examples of scenarios that may be used include:

- Interpreting the implications of a new guideline.
- Review of important documents, leaflets, and research papers which impact on dental practice.
- Decision-making on the merits of a particular form of treatment.
- Dealing with treatment complications.
- Continuing professional development, e.g. staff and patient. management and regulations, policy development and implementation, etc
- A treatment-planning exercise.
- Management and Leadership issues, e.g. appraisal, grievance procedures, finance.

41. Candidates should maintain an awareness of current dental issues for the SCR assessment. They should keep up to date with recent publications, and maintain an awareness of changes in practice and guidance that have featured in the dental press.

SCR format

42. Candidates will be allowed one hour to consider background material to the scenarios. Candidates are advised to spend equal amounts of preparation time on each of the scenarios, as they will carry equal marks. This will be followed by up to five 10-minute structured discussions, with different examiners on each occasion, on selected aspects of each scenario.

Specimen SCR questions

43. Two examples of SCR exercises are given.




44. It is unlikely in the10 minutes available that all these questions would be asked, but it gives a suggestion of the likely method of assessment.

Example 1

Candidate Instructions

It is suggested 12 minutes are spent assessing the clinical information presented in relation to the question below. Consider what additional information you may require to care for this patient.

Mr D is a 40-year-old building contractor. He presents at your practice complaining of pain from his "upper front teeth". He smokes and has an annoying cough. He tells you that he "hates the dentist".





BPE scores:

3	2	4
3	3	*

Kinds of questions you could be asked in an SCR exercise:

Is the history given here adequate?



What further information would you require about the history of the presenting complaint?

Could the patient's history of "an annoying cough" be important? How could persistent coughs be relevant to the dental team? You know that this patient smokes; what questions would you ask to fully assess this risk factor?

What do you think this patient's attitude is to his oral health from the information given?

How would you determine the cause of this patient's pain? Radiographic examination showed an area of radiolucency over the UR1. What treatment would you carry out to relieve the patient's pain?

Example 2

Candidate Instructions

At a local meeting many colleagues reported changing local anaesthetic agent to articaine.

Your practice is presently using lidocaine.

Their decision was based on data presented by the manufacturer suggesting that articaine is more effective.

You have decided your practice decision will be evidence-based, and you have downloaded the first article in a search on the world wide web.

Please critically appraise the abstract and materials and methods given below.

At the next station you will discuss the paper and how you arrive at a decision to purchase the new local anaesthetic.

International Journal of Paediatric Dentistry


Volume 16 Page 252 - July 2006 doi:10.1111/j.1365-263X.2006.00745.x

Volume 16 Issue 4

Comparison of articaine 4% and lidocaine 2% in paediatric dental patients

 $D. RAM^1 \& E. AMIR^2$

Objective. To evaluate and compare the reaction of children who



mjdf

Samples and methods. Sixty-two children (34 girls and 28 boys) aged 5–13 years (mean age 8.4 ± 2.3) from two established paediatric dental clinics who needed similar operative procedures preceded by local anaesthesia were randomly assigned to receive either lidocaine or articaine at their first or second visit. Modified Taddio's behavioural pain scale was used to evaluate pain reaction during injection and treatment. The sensation after injection and treatment was evaluated using the Wong–Baker FACES pain rating scale. Parents recorded the time when the feeling of local anaesthesia in soft tissues disappeared.

Results. Duration of numbress of soft tissues was significantly longer for articaine $(3.43 \pm 0.7 \text{ h})$ than for lidocaine $(3.0 \pm 0.8 \text{ h})$ (*P* = 0.003). No difference regarding the efficacy of the anaesthesia was observed.

Reaction to pain was similar for both local anaesthetic solutions and no significant difference was found between genders. The efficacy of the anaesthesia was similar for both solutions. The feeling after treatment was similar for both solutions. The rate of adverse effects was similar for the two solutions.

Conclusions. Articaine 4% with 1 : 200 000 epinephrine is as effective as lidocaine 2% with 1 : 100 000 epinephrine. The effect of numbress of soft tissues was longer lasting with articaine than with lidocaine.

Methods

Participants in the study included 62 children (34 girls and 28 boys) aged 5– 13 years (mean age 8.4 ± 2.3 , median 8), mean weight 30.44 ± 8.80 kg, median 29, from two established paediatric dental clinics in Jerusalem and Tel Aviv. Inclusion criteria were the need for at least two clinical sessions for similar operative procedures with local anaesthesia in the same arch, not as emergency procedures. An experienced paediatric dentist carried out the treatment for each child in each centre (one dentist per centre).

A random cross-over design was used and each child served as his or her own control. The average duration of simple and complex procedures was comparable in each child between articaine and lidocaine. All children were healthy, and none needed a sedative or other pharmacological support to receive dental treatment. Informed consent was obtained from the accompanying parent after explaining and describing the procedure. The child's age and weight, type and amount of local anaesthesia, the need for additional local anaesthesia, and the time of onset were recorded. Each patient was randomly assigned to receive either lidocaine HCl 2% with 1 : 100 000 epinephrine (Octocaine^R, Novocol Pharmaceutical of Canada Inc. Cambridge, Ontario, Canada N1R) or articaine HCl 4% with 1 : 200 000 epinephrine (Ubistesin, ESPE Dental AG, D-82229 Seefeld, Germany) for the first visit, with the other solution administered during the second visit.

mjdf

Up to one cartridge of lidocaine (maximum dose: 4 mg/kg body weight) and articaine (maximum dose: 5 mg/kg body weight) was administered [7]. Before the injection, topical anaesthetic gel on a cotton roll was applied for 1 min to the injection site. The injection of the local anaesthetic solution was slow with an average duration of nearly 2 min (approximately 1 mL/min) [14].

The modified behavioural pain scale, suggested by Taddio *et al.* [15], was used for objective evaluation of the children's reaction during injection. The scale comprised the following parameters: (i) facial display, (ii) arm/leg movements, (iii) torso movements, and (iv) crying. The facial display followed Craig's behavioural description of facial actions, which describes pain [16]. Only two of the four of most descriptive facial actions were evident (eye brow bulge or eye squeeze), as the mouth was open and the nose was partly covered by the operator's hand during injection. All behaviour parameters were evaluated during injection and subsequent treatment.

A trained dental assistant, who did not participate in the treatment and was blinded to the agent being used, recorded the behavioural parameters in each centre. To check on recording, 15 patients who were not included in this study were evaluated as a pilot study.

The time of onset was evaluated by asking the child when the sensation of numbness started. The Wong–Baker FACES pain rating scale (FPS) was used for subjective evaluation of feeling after the injection [17]. This scale shows good construct validity as a self-report pain measure. The FPS measures the unpleasantness or affective dimension of a child's pain experience after injection and is used in children aged 3–17 years. The child is shown a set of six cartoon faces with varying facial expressions ranging from a smile/laughter to tears. Each face has a numerical value. After verbal instructions were given on how to use the FPS, the children were asked to select the face 'which looks like how you feel deep down inside, not the face you show to the world'. The children were asked to rank their sensation immediately after the injection, and by phone 1 and 2 h after.



The efficacy of the anaesthesia was evaluated during treatment. Additional local anaesthetic solution was added when children showed or reported signs of pain. Parents were instructed to ask the child and to record the time when the feeling of numbress disappeared (offset time). They were asked by phone after 1, 2 or more hours to report it and were also asked about the occurrence of adverse effects. Differences in parameters were evaluated by McNemar test and paired *t*-test. Significance was set at P < 0.05.

Questions

Examiner 1

How was this study designed? *Follow up question:* Is this a reasonable design?

Was adequate randomisation achieved?

How did the authors arrive at the sample size?

Was anyone blind to the agent being given?

Are the methods of assessment satisfactory?

What were main outcomes?

Examiner 2

Would this report make you change your practice?

Introduce further information: Lidocaine is £0.12 /cartridge Articaine presently on offer £0.13 for 6 months but normally £0.21

Is a change cost-effective?

Could you apply the report outcome to adults?

What would you do to continue to pursue the question if this would be a good alternative anaesthetic?



Sample mark sheet for SCR station

Membership of the Joint Dental Faculties

STATION A

CA	NDIDAT	e numbe	R		CANE	DATE	NAM	E									1000	antonár Jelonár	
				Please enter cand			the gri	d to											
D	0	G	D	the left and print r	ame belo	N										0	D	D	0
1	1	1	1													1	1	1	1
2	2	2	2	·											:	2	2	2	2
3	3	3	3												:	3	3	3	3
4	4	4	4		10000	83838	88888	9888F	- Andreas	HERE	0000	99999	****			4.	4	4	4
5	5	5	5		Johons.	969696	200000	60696	<i>i</i> .1	19877	::28929	606062	101005	363634		5 ·	5	5	5
·6- 7	-6 7	6 · 7	6- 7					Please	enter e:						×	6 ·	6- 7	-6 7	·6 7
7	7	7	7							r	ight and	i print r	iame be	wole			7	7	7
9	9	9 9	9													-	9	9	9
5	5	3	5		1000004	000000	1000005	000000	100000	000000	2000004	00000r	300000	000007		•	5	3	
CLINIC	CAL												Pleas		Poor	. Call	Borderline Fail	Borderlin Pass	e Pass
All maj	or com	petenc	ies									m	ark he	ere Pre	P00		rai 2	rass 3	Pass 4
oncerns i linical si . (Borde ompeten)	re. patien tuations. rline Fai ce. Can a	t safety. (]] Fails to apply know	lannot ap demonst wledge to	mpetence with ply knowledge to rate adequate clinical some clinical common pletely. Inadequate	bar con 4. [Ap	ely ade moon o Pass] I plies ki	equate clinica Demor nowled	level. A I proble istrates dge, to	emonst adequat ens. Cli clinical clinical and pro	ely app nically I comp proble	lies kno and teo etence ms in f	wledg hnicall to high	e to ly profi level						
PROFE Ethics; . [Poor F	SSION Patien Fail Den	ts; Self ionstrates ce. Unabl	Clinics incompe to inter	a ware ware ware ware al team/peers tence in net adequately seem to examiners.	pra to p	ctice. I prioritis	nterac se ade	ts approquately.	emonst opriatel Able t	y with 5 apply	team/p	nce in j eers/pa	tients. /	e ere ional	 Poor 	r Fail	exx: x Borderline Fail 2	×× ×× Borderlin Pass 3	
f profess ariable/ii lifficulty	ional pra nconsiste in priori	etice but int interac tising. At	below the tion with tempts to	mpetence in some areas required standard, team/peers/patients, apply knowledge, and the required standard.	4.[μτο	- Pass I fession	Demoi ial pra	nstrates ctice. A	high lo ble to j rs and j	vel of a	æ well.	Would	inspire	-		101010	-	501050	
		ATION		eam; Other Profe	ssionals								Pleas ark he		Poor		Borderline Fail	Bordertin Pass	Pas
														Da-	'	1	2	3	4
isorganis dequately /erbal.com . [Borde	sed, hesita y with pe mmunica rline Fai	ant, indec er/patient tion cause 1] Demon	isive, Un s/dental t es concer strates so		ver pat 4. [Exe	bal skil ients/p Pass I	lls, Sh eers/de Demoi interae	ows go ental te ostrates	emoust od dedi am. exectle ith peet	uctive t aut verh	hinking al and	t. Inters non ve	icts wit	h					
eers/pati		al team. V		nmunication		ы опф													
				<u>DERSHIP</u> ation; Legislation:	Financ	rial L	eade	rship					Pleas ark he		Poor		Borderline Fail 2	Borderlin Pass 3	e Pase 4
			0	for patient safety.					emonst	rales e	mpale	nce in -	ام دومرز		1	•	-	v	-
oncern r ontempo	e. manag rary legis	ement an slation.	d leaders	hip. Ignorant of key	org not	anisati fluent	on/fin hut ju	ance/le stifiabl	gislatio e.	n. Man	agemei	nt and I	cadersi	ijр					
ompeten nd leader	ce in org	anisation/ ficiency h	finance/k	me but inadequate egislation. Management times and inconsistent	org Ma	anisati	on/fin ent an	ance/le;	good l gislatio rship fl	n.	•		in areas	i of					
Pleas				l judgement erformance		GL	OE	BAI	_ M		١K		ş		 Poor	Fail	Borderline Fail 2	Borderlin Pass	 Pas



Exemptions from Part 1 of the MJDF

45. The following examinations are currently accepted by the faculties as providing exemption from Part 1 of the MJDF:

a. Candidates who have obtained Part A of the old-style MFDS or Part 1 of the old-style MFGDP(UK).

b. Candidates who have obtained Part I of the new MFDS offered by The Royal College of Surgeons of Edinburgh, or the Royal College of Physicians and Surgeons of Glasgow.

c. Candidates who have obtained Part 1 of the MDF of the Royal College of Surgeons in Ireland.

d. Candidates who received exemption from the Part 1 Diploma in General Dental Practice.

e. Candidates who have completed Part 1 of the MGDS examination.

Examination and submission dates for MJDF

46. UK diets of the examinations will normally take place as follows:

a. Part 1: end of March/beginning of April, end of September/beginning of October each year.

b. Part 2: June and November each year.

Applications process

47. Candidates should complete the application form relevant to the Portfolio of Evidence, Part 1 or Part 2. All application forms can be accessed on the MJDF web pages at <u>www.mjdf.org.uk</u>. Careful attention should be taken of closing dates, and to ensuring that all information and fees due are enclosed. **No incomplete or late applications will be processed**.



48. The fees payable for 2011 are:

Part 1	£522.00
Part 2	£660.00
Portfolio of Evidence	£50.00 (to accompany the submission form; VDPs are exempt from this fee up to 3 months after completing VT year and provided that a copy of the VT certificate is enclosed)


mjdf

Membership of the dental faculties

49. Successful candidates will be eligible for joint membership of the two dental faculties at The Royal College of Surgeons of England for a period of three years following completion of the MJDF Diploma. At the end of this three-year period, holders of the MJDF may choose to join either faculty or continue with membership of both, in accordance with such membership categories and fees that may be prescribed at that time.

Policies applicable to the MJDF

50. Policies relating to appeals, plagiarism and malpractice, disability and equal opportunities will be made available to candidates separately.





Frequently asked questions

Below are some frequently asked questions which may help to provide guidance to the candidate.

How do I prepare for the MJDF?

This document contains a list of resources in Annex B, and the MJDF website (<u>www.mjdf.org.uk</u>) provides details of tutor networks.

What is the value of the MJDF measured against the old qualifications?

One of the defining characteristics of the MFDS was that it served as an entry requirement for specialist training. The GDC has now decided that there will be no formal examination entry requirement, and selection is likely to be on the basis of a range of criteria demonstrating suitability. Possession of a postgraduate qualification (MFDS, MFGDP(UK), MJDF, or a non-College qualification) will play a part in demonstrating a candidate's suitability. However, it is not an absolute requirement.


The MJDF's purpose and value is to confirm the acquisition of competencies at the end of the foundation training curriculum, for a dental career which may develop within either primary or secondary care.

I want to enter specialist training. Do I also need MJDF in addition to my existing MFDS/MFGDP(UK)?

See above – in keeping with published GDC guidance, this is not currently a mandatory requirement.

Since the MJDF assesses competencies in the foundation training curriculum, is it relevant to a practitioner with several years' experience post-qualification?

Yes – the MJDF will be the starting point for dentists who wish to develop their careers in a number of ways. With more flexible entry into specialist training, and the advent of concepts such as Dentists with Special Interests, all practitioners should consider the MJDF as a valuable demonstration of having achieved the postgraduate competencies set out in the foundation training curriculum.



midf

If you have completed MFDS or MFGDP(UK), you need only take Part 2 MJDF to gain that award, as long the components for which you are claiming credit and Part 2 of the MJDF are completed within the five-year period allowed by the regulations.

When will the MJDF be available overseas?

It is the intention to run the MJDF part 1 overseas following the launch of the assessment in the UK. Please check the examination and submission dates section for all planned overseas examinations http://www.mjdf.org.uk/#overseas.

How long do I have to complete the MJDF?

All parts of the assessment will normally need to be completed within five years of passing Part 1.

At what point do I complete the Portfolio of Evidence?

This may be completed at any point in the five-year period, including after Part 2.

Is the MJDF registerable as an additional qualification with the GDC?

The GDC is currently reviewing its policy on the registration of additional qualifications and is not currently accepting new qualifications. This applies both to the MJDF and the new MFDS of the Dental Faculties of the Royal Colleges in Scotland. The faculties will apply for registerable status once the GDC has completed the review of its procedures.

Where do I obtain further information and guidance?

Visit <u>www.mjdf.org.uk</u>, or contact the MJDF Examination Department at mjdf@rcseng.ac.uk.



MJDF RESOURCE LIST

This list of resources matches the curriculum domains of the foundation training curriculum. Candidates should use this selectively. It is not a list of all resources available, and candidates should, in particular, be reminded of their personal responsibility to ensure that their knowledge is up to date, and that they are aware of contemporary developments and issues in dental treatment.

1. CLINICAL	ISBN No:
Bain C. Treatment Planning in General Dental Practice. Dental Update	044307183
Publications	7
Mitchell L. An Introduction to Orthodontics. 2 nd Edition. Oxford	, 019263184
University Press [2002]	5
Whaites E. Essentials of Dental Radiography and Radiology	044307027
Whatee E. Eccentiale of Dental Hadiography and Hadiology	X
Cawson & Skully C. Medical Problems in Dentistry. 5 th Edition [2005]	044310145
Elsevier	0
Meecham JG et al. Pain and Anxiety Control for the Conscious Dental	019262848
Patient. 7 th Edition	8
Bain C. Treatment Planning in General Dental Practice. Dental Update	044307183
Publications	7
Jacobsen PH. Restorative Dentistry: An Integrated Approach. Elsevier	072361742
Health Sciences	2
Pedlar J, Frame JW. Oral and Maxillofacial Surgery. Elsevier Health	0443060177
Sciences	
Davenport JC et al. Clinical Guide To Removable Partial Dentures. BDJ	090458859
Books [2000]	9
Davenport JC et al. Clinical Guide To Removable Partial Denture	090458863
Design. BDJ Books [2000]	7
McCord JF & Grant AA. Clinical Guide To Complete Denture	090458864
Prosthetics. BDJ Books [2000]	5
Field A, Longman L & Tyldesley W. Tyldesley's Oral Medicine. 5 th	019263147
Revised Edition. Oxford University Press.	0
Chapple ILC & Gilbert AD. Understanding Periodontal Diseases:	185097053
Assessment and Diagnostic Procedures in Practice. Quintessentials	Х
Publishing [2002]	405007400
Crean S, Shaikh Z & Addy L. Clinical Short-Answer Questions for	185097102
Postgraduate Dentistry [1997]Quintessence Publishing Co. Ltd	1
FGDP Key Skills [Infection Control, Medical Emergencies,	
Radiography] Peterson et al. Contemporary Oral and Maxillofacial Surgery. Elsevier	0815166990
Health Sciences	0010100990
Lewis M & Jordan R. A Colour Handbook of Oral Medicine. Manson	1840760338
Publishing Ltd	10-07 00000
Nice Guidelines:	
http://www.nice.org.uk/	
<u>Integration of grant</u>	



Sign Guidelines:	
http://www.sign.ac.uk/guidelines/fulltext/47/index.html	
Sign Guidelines on Sedation for Children:	
http://www.sign.ac.uk/guidelines/fulltext/58/index.html	
FDS National Clinical guidelines 1997	
http://www.rcseng.ac.uk/fds/publications-clinical-	
guidelines/clinical guidelines/documents/ncg97.pdf	
Oral Health Specialist Information:	
http://www.evidence.nhs.uk/	
Helping Smokers Stop:	
http://www.nice.org.uk/niceMedia/documents/helping smokers stop.pdf	
Clinical Audit:	
http://www.verifiedlearning.com/lap/docs/moddent.pdf	
Resucitation Council:	
www.resus.org.uk	
Health Development Agency [HDA] Publications	
http://www.nice.org.uk/aboutnice/whoweare/aboutthehda/hdapublicatio	
ns/hda publications.jsp	
British National Formula	
www.bnf.org	
Primary Care Contracting	
http://www.pcc.nhs.uk/133.php	
Child Protection and the Dental Team	
http://www.cpdt.org.uk/	
British Society for the Study of Prosthetic Dentistry	
http://www.bsspd.org/	
British Society of Periodontology	
http://www.bsperio.org.uk/members/policy.pdf	
British Society for Restorative Dentistry	
http://www.bsrd.org.uk/	
2. COMMUNICATION	
FGDP(UK) Key Skills: [Clinical Record Keeping & Risk Management &	
Communication]	
GDC Principles of Consent:	
http://www.gdc-	
uk.org/Newsandpublications/Publications/Publications/PatientConsent	
%5B1%5D.pdf	
GDC Standards for Dental Professionals	
http://www.gdc-	
uk.org/Dentalprofessionals/Standards/Pages/default.aspx	
BDA Clinical Governance Kit [New edition out in Sep 07]	
3. PROFESSIONALISM	
FGDP(UK) Key Skills [Legislation and Good Practice Guidelines &	
Team Training]	
COPDEND Document [GPT Portfolio, <i>currently being developed</i>]	
BDA Advice Sheet, B1 [Dental Ethic] <u>http://www.gibbs-</u>	
dental.co.uk/firstyears/124.htm	
	1



185097058
0
-